

```

1  <?xml version="1.0" encoding="UTF-8"?>
2  <xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:etn="
http://gu.gov.si/Etn3/Ws/Kp_Import/Input" elementFormDefault="qualified"
targetNamespace="http://gu.gov.si/Etn3/Ws/Kp_Import/Input">
3
4      <!-- code types -->
5
6      <xs:simpleType name="CodeType">
7          <xs:restriction base="xs:string">
8              <xs:pattern value="\s*[0-9]{1,6}\s*" />
9          </xs:restriction>
10     </xs:simpleType>
11
12     <xs:simpleType name="ParcelCodeType">
13         <xs:restriction base="xs:string">
14             <xs:pattern value="\s*([*]?[0-9]+( [/]?[0-9]+)?)\s*" />
15         </xs:restriction>
16     </xs:simpleType>
17
18     <!-- number types -->
19
20     <xs:simpleType name="DoubleType">
21         <xs:restriction base="xs:string">
22             <xs:pattern value="\s*(\s*(0|[1-9][0-9]*) ([0-9]+)?)\s*" />
23         </xs:restriction>
24     </xs:simpleType>
25
26     <xs:simpleType name="IntegerType">
27         <xs:restriction base="xs:string">
28             <xs:pattern value="\s*(\s*[0-9]*\s*)" />
29         </xs:restriction>
30     </xs:simpleType>
31
32     <xs:simpleType name="FractionType">
33         <xs:restriction base="xs:string">
34             <xs:pattern value="\s*(\s*(0|[1-9][0-9]* (/ [1-9][0-9]*)?)\s*)" />
35         </xs:restriction>
36     </xs:simpleType>
37
38     <!-- calendar types -->
39
40     <xs:simpleType name="DateType">
41         <xs:restriction base="xs:string">
42             <xs:pattern value=
43                 "\s*(\s*((0?[1-9]| [12]\d|3[01])\. (0?[13578]|1[02])\.( (1[6-9]| [2-9]\d)\d
44                 {2})) | ((0?[1-9]| [12]\d|30)\.(0?[13456789]|1[012])\.( (1[6-9]| [2-9]\d)\d{2}
45                 )) | ((0?[1-9]|1\d|2[0-8])\.0?2\.( (1[6-9]| [2-9]\d)\d{2})) | (29\.0?2\.( (1[6-9]
46                 )| [2-9]\d) (0?[48]| [2468] [048]| [13579] [26]) | ((16| [2468] [048]| [3579] [26])00
47                 )))\s*" />
48         </xs:restriction>
49     </xs:simpleType>
50
51     <xs:simpleType name="YearType">
52         <xs:restriction base="xs:string">
53             <xs:pattern value="\s*(\s*(1[0-9]|2[0-3])\d{2}\s*)" />
54         </xs:restriction>
55     </xs:simpleType>
56
57     <xs:simpleType name="YYMMType">
58         <xs:restriction base="xs:string">
59             <xs:pattern value="\s*(\s*([0-9]{2}-[0-9]{2})\s*)" />
60         </xs:restriction>
61     </xs:simpleType>
62
63     <!-- yes/no type -->
64
65     <xs:simpleType name="YesNoType">
66         <xs:restriction base="xs:string">
67             <xs:pattern value="\s*([dD] [aA] | [nN] [eE])\s*" />

```

```

63     </xs:restriction>
64 </xs:simpleType>
65
66 <xs:simpleType name="YesType">
67     <xs:restriction base="xs:string">
68         <xs:pattern value="\s*([dD][aA])\s*" />
69     </xs:restriction>
70 </xs:simpleType>
71
72 <xs:simpleType name="DavcnaStopnjaPosla">
73     <xs:restriction base="xs:string">
74         <xs:enumeration value="8,5 %" />
75         <xs:enumeration value="20,0 %" />
76         <xs:enumeration value="9,5 %" />
77         <xs:enumeration value="22,0 %" />
78         <xs:enumeration value="Različne stopnje" />
79     </xs:restriction>
80 </xs:simpleType>
81
82 <xs:simpleType name="DavcnaStopnjaSestavine">
83     <xs:restriction base="xs:string">
84         <xs:enumeration value="8,5 %" />
85         <xs:enumeration value="20,0 %" />
86         <xs:enumeration value="9,5 %" />
87         <xs:enumeration value="22,0 %" />
88     </xs:restriction>
89 </xs:simpleType>
90
91 <!-- complex types -->
92
93 <xs:complexType name="StrankaType">
94     <xs:all>
95         <xs:element maxOccurs="1" minOccurs="1" name="naziv" type="xs:string" />
96         <xs:element maxOccurs="1" minOccurs="0" name="naslov" type="xs:string" />
97         <xs:element maxOccurs="1" minOccurs="0" name="emso_maticna" type="
98             "xs:string" />
99         <xs:element maxOccurs="1" minOccurs="1" name="drzavljanstvo" type="
100             "etn:CodeType" />
101         <xs:element maxOccurs="1" minOccurs="1" name="vrsta_pog_stranke" type="
102             "etn:CodeType" />
103     </xs:all>
104 </xs:complexType>
105
106 <!-- schema definition -->
107
108 <xs:element name="ETN3" type="etn:ETN3Type">
109     <xs:annotation>
110         <xs:documentation>Comment describing your root element</xs:documentation>
111     </xs:annotation>
112 </xs:element>
113
114 <xs:complexType name="ETN3Type">
115     <xs:sequence>
116         <xs:element maxOccurs="1" minOccurs="1" ref="etn:Header" />
117         <xs:element maxOccurs="1" minOccurs="1" ref="etn:Body" />
118     </xs:sequence>
119 </xs:complexType>
120
121 <xs:element name="Header">
122     <xs:complexType>
123         <xs:all>
124             <xs:element name="SYSTEM">
125                 <xs:simpleType>
126                     <xs:restriction base="xs:string">
127                         <xs:enumeration value="ETN DPN-Ostali-XML uvoz" />
128                     </xs:restriction>
129                 </xs:simpleType>

```

```

129         </xs:element>
130
131         <xs:element name="SKUPINA" type="xs:string"/>
132
133         <xs:element name="OBR_VER">
134             <xs:simpleType>
135                 <xs:restriction base="xs:string">
136                     <xs:enumeration value="5.0"/>
137                 </xs:restriction>
138             </xs:simpleType>
139         </xs:element>
140
141         <xs:element name="UPORABNIK" type="xs:string"/>
142
143         <xs:element name="MATICNA">
144             <xs:simpleType>
145                 <xs:restriction base="xs:string">
146                     <xs:pattern value="\s*[0-9]*\s"/>
147                 </xs:restriction>
148             </xs:simpleType>
149         </xs:element>
150
151         <xs:element name="ZAVEZANEC">
152             <xs:simpleType>
153                 <xs:restriction base="xs:string">
154                     <xs:pattern value="\s*[0-9]*\s"/>
155                 </xs:restriction>
156             </xs:simpleType>
157         </xs:element>
158
159     </xs:all>
160 </xs:complexType>
161 </xs:element>
162
163 <xs:element name="Body">
164     <xs:complexType>
165         <xs:sequence>
166             <xs:element ref="etn:posli"/>
167         </xs:sequence>
168     </xs:complexType>
169 </xs:element>
170
171 <!-- Pogodbene stranke -->
172
173 <xs:element name="kupci">
174     <xs:complexType>
175         <xs:sequence>
176             <xs:element maxOccurs="unbounded" name="kupec" type=
177                 "etn:StrankaType"/>
178         </xs:sequence>
179     </xs:complexType>
180 </xs:element>
181
182 <xs:element name="prodajalci">
183     <xs:complexType>
184         <xs:sequence>
185             <xs:element maxOccurs="unbounded" name="prodajalec" type=
186                 "etn:StrankaType"/>
187         </xs:sequence>
188     </xs:complexType>
189 </xs:element>
190
191 <!-- Podatki o poslu -->
192
193 <xs:complexType name="poselType">
194     <xs:all>

```

```

196
197     <xs:element maxOccurs="1" minOccurs="1" name="id_vrste_posla" type=
"etn:CodeType"/>
198
199     <xs:element maxOccurs="1" minOccurs="0" name="int_oznaka_pogodbe" type=
"xs:string"/>
200
201     <xs:element maxOccurs="1" minOccurs="1" name="datum_sklenitve" type=
"etn:DateType"/>
202
203     <xs:element maxOccurs="1" minOccurs="0" name="pogodbena_cena" type=
"etn:DoubleType"/>
204
205     <xs:element maxOccurs="1" minOccurs="0" name="opomba" type="xs:string"/>
206
207     <xs:element maxOccurs="1" minOccurs="1" name="ddv_vkljucen" type=
"etn:YesType"/>
208     <xs:element maxOccurs="1" minOccurs="1" name="ddv_stopnja" type=
"etn:DavcnaStopnjaPosla"/>
209
210     <xs:element maxOccurs="1" minOccurs="1" ref="etn:kupci"/>
211     <xs:element maxOccurs="1" minOccurs="1" ref="etn:prodajalci"/>
212
213     <xs:element maxOccurs="1" minOccurs="0" ref="etn:parcele"/>
214     <xs:element maxOccurs="1" minOccurs="0" ref="etn:deli_stavb"/>
215
216     </xs:all>
217
218 </xs:complexType>
219
220 <xs:element name="posli">
221     <xs:complexType>
222         <xs:sequence>
223             <xs:element maxOccurs="unbounded" minOccurs="1" name="posel" type=
"etn:poselType"/>
224         </xs:sequence>
225     </xs:complexType>
226 </xs:element>
227
228 <!-- ===== -->
229 <!-- Parcele -->
230
231 <xs:complexType name="parcelaType">
232     <xs:all>
233
234         <xs:element maxOccurs="1" minOccurs="1" name="vrsta_zemljisca" type=
"etn:CodeType"/>
235         <xs:element maxOccurs="1" minOccurs="1" name="sifko" type="etn:CodeType"
/>
236         <xs:element maxOccurs="1" minOccurs="0" name="obcina" type="xs:string"
/>
237         <xs:element maxOccurs="1" minOccurs="0" name="ime_ko" type="xs:string"
/>
238         <xs:element maxOccurs="1" minOccurs="1" name="parcela" type=
"etn:ParcelCodeType"/>
239         <xs:element maxOccurs="1" minOccurs="1" name="prodani_delez" type=
"etn:FractionType"/>
240         <xs:element maxOccurs="1" minOccurs="0" name="vrsta_trajnega_nasada"
type="etn:CodeType"/>
241         <xs:element maxOccurs="1" minOccurs="0" name="starost_trajnega_nasada"
type="etn:IntegerType"/>
242
243         <xs:element maxOccurs="1" minOccurs="0" name="pogodbena_cena" type=
"etn:DoubleType"/>
244         <xs:element maxOccurs="1" minOccurs="0" name="ddv_stopnja" type=
"etn:DavcnaStopnjaSestavine" />
245
246

```

```

247         </xs:all>
248
249     </xs:complexType>
250
251     <xs:element name="parcele">
252         <xs:complexType>
253             <xs:sequence>
254                 <xs:element maxOccurs="unbounded" minOccurs="1" name="parcela" type=
                    "etn:parcelaType"/>
255             </xs:sequence>
256         </xs:complexType>
257     </xs:element>
258
259     <!-- ===== -->
260
261     <!-- Deli stavb -->
262
263     <xs:complexType name="delStavbeType">
264         <xs:all>
265
266             <xs:element maxOccurs="1" minOccurs="1" name="vrsta_dela_stavbe" type=
                "etn:CodeType"/>
267
268             <xs:element maxOccurs="1" minOccurs="1" name="sifko" type="etn:CodeType"
                />
269             <xs:element maxOccurs="1" minOccurs="0" name="obcina" type="xs:string"
                />
270             <xs:element maxOccurs="1" minOccurs="0" name="ime_ko" type="xs:string"/>
271
272             <xs:element maxOccurs="1" minOccurs="0" name="st_stavbe" type=
                "etn:CodeType"/>
273             <xs:element maxOccurs="1" minOccurs="0" name="st_dela_stavbe" type=
                "etn:CodeType"/>
274             <xs:element maxOccurs="1" minOccurs="0" name="parcela" type=
                "etn:ParcelCodeType"/>
275
276             <xs:element maxOccurs="1" minOccurs="0" name="prodana_povrsina" type=
                "etn:DoubleType"/>
277             <xs:element maxOccurs="1" minOccurs="1" name="prodani_delez" type=
                "etn:FractionType"/>
278             <xs:element maxOccurs="1" minOccurs="1" name="leto_izgradnje_ds" type=
                "etn:YearType"/>
279             <xs:element maxOccurs="1" minOccurs="0" name="gradbena_faza" type=
                "etn:CodeType"/>
280
281             <xs:element maxOccurs="1" minOccurs="1" name="evidentiran_dst" type=
                "etn:YesNoType"/>
282             <xs:element maxOccurs="1" minOccurs="0" name="prodana_netopov" type=
                "etn:DoubleType"/>
283             <xs:element maxOccurs="1" minOccurs="0" name="pogodbena_cena" type=
                "etn:DoubleType"/>
284             <xs:element maxOccurs="1" minOccurs="0" name="ddv_stopnja" type=
                "etn:DavcnaStopnjaSestavine" />
285             <xs:element maxOccurs="1" minOccurs="1" name="novogradnja" type=
                "etn:YesNoType"/>
286
287         </xs:all>
288     </xs:complexType>
289
290     <xs:element name="deli_stavb">
291         <xs:complexType>
292             <xs:sequence>
293                 <xs:element maxOccurs="unbounded" minOccurs="1" name="del_stavbe"
                    type="etn:delStavbeType"/>
294             </xs:sequence>
295         </xs:complexType>
296     </xs:element>
297
298 </xs:schema>

```